





## JM Office Stationery Ltd

Unit 29 Berkeley Business Park Turner Street Ashton-Under-Lyne Lanes OL6 8LB 0330 124 6578 info@jmoffice.co.uk www.jmoffice.co.uk



### First for folding furniture & much more



### Why choose Gopak

Gopak is a British manufacturer of multi-functional furniture, incorporating 100% recyclable aluminium into the majority of our designs. Our furniture is light in weight, yet extremely strong and durable.

All Gopak furniture has been designed to fold or be supplied flat pack for efficient, effective and cost saving transportation to the end user.

#### Made to exacting standards

Our quality accreditations include: BS EN1729 Part 1 for Dimensional Fit BS EN1729 Part 2 for Strength and Stability GS TUV for Strength and Durability BRITISH EDUCATIONAL SUPPLIERS ASSOCIATION





### Approved ENI729-1 ENI5372:2008-06

#### **Our Guarantee**

Lifetime guarantee on all folding tables 5 Year guarantee on Enviro tables and Ultralight staging







### Contents

Folding Tables & Stacking Benches

ENVIRO TABLES & BENCHES





- 2 Contour 25 Folding Tables / Benches
- 4 Contour25 Plus / Round Folding Tables
- 6 Premier Folding Tables / Benches
- 8 Economy Folding Tables / Benches
- 10 Games / Ali Folding Tables
- 12 Universal / Vantage Folding Tables
- 14 KS1 & KS2 Activity Tables
- 16 Table Storage Trolleys
- 18 Daisy / Keyhole Tables
- 20 Bean / Trapezoidal / Round Tables
- 22 Link / Shield Tables
- 24 Rectangular Tables / Benches
- 26 Project Tables
- 28 High Tables / Triangular Tables
- 30 Coffee Tables / Changing Room Benches
- 32 Workspace Tables
- 34 Outdoor Tables / Benches
- 36 Outdoor Furniture
- 38 Ultralight How it works
- 40 Ultralight Staging Packages
- 42 Ultralight Choir Packages
- 44 Ultralight Trolleys & Accessories
- 46 Ultralight Safety Accessories
- 48 Laminate Swatches
- 50 Height Guide and Dimensions
- 52 FAQ's



# Contour25 Folding Tables









#### UK's best selling folding table

- Iconic twin leg design
- Wipe clean laminate table top
- Lightweight aluminium frame
- Simple, fail safe folding



#### Contour25 Folding Tables

C/AA25	L1830mm x W760mm 12.35kg		
C/AB25	L1830mm x W685mm 11.50kg		
C/AC25	L1830mm x W610mm 11.25kg		
C/AD25	L1830mm x W480mm 10.50kg		
C/BA25	L1520mm x W760mm 10.75kg		
C/BB25	L1520mm x W685mm 10.00kg		
C/BC25	L1520mm x W610mm 9.50kg		
C/CA25 C/CB25 C/CC25	L1220mm x W760mm L1220mm x W685mm L1220mm x W610mm L1220mm x W610mm		
C/DA25	*L915mm x W760mm		
C/DB25	*L915mm x W685mm		
C/DC25	*L915mm x W610mm 6.50kg		
Table Heights (mm) 760   700   635   584   546   508			

\*915mm long tables are not available 760mm high

#### **NOW AVAILABLE** Antimicrobial Contour25 Folding Tables



AB/AC25 1830x610mm AB/CC25 1220x610mm

Supplied in Grey only Available in all heights as chart below



School dining Functions & fundraising Crafting Canteens Church & Village halls



# Contour25 Stacking Benches

Best selling school benches

- Stack for storage up to 10 high
- Wipe clean laminate seat top
- Lightweight aluminium frame
- Strong and robust







# Contour 25 Plus Folding Tables









#### Extra strong but light folding table

- Iconic twin leg design
- Wipe clean laminate table top
- Strengthened legs
- Improved stability

#### Contour25 Plus Folding Tables

CP/AB525 CP/AC525	L1830mm x W760mm L1830mm x W685mm L1830mm x W610mm L1830mm x W480mm	12.35kg	
CP/BB525	L1520mm x W760mm L1520mm x W685mm L1520mm x W610mm	11.50kg	
CP/CB525	L1220mm x W760mm L1220mm x W685mm L1220mm x W610mm	10.75kg 9.60kg 9.25kg	
CP/DB525	*L915mm x W760mm *L915mm x W685mm *L915mm x W610mm	9.00kg 8.50kg 8.00kg	
Table Heights (mm)			

760 | 700

\*915mm long tables are not available 760mm high

Canteens Social events Retail display Crafting Church & Village halls



### **Round Folding Tables**

FREE

UK Mainlan

DELIVERY

Heavy duty folding tables

- Wipe clean laminate table top
- Posi-lock folding mechanism
- Strong and robust
- GS Approved design



d

### **Premier Folding Tables**



- Premium class folding table
- Wipe-clean laminate table top
- Seamless polyurethane edge
- Top quality finish
- Very strong and robust

#### Premier Folding Tables

P/AA3	L1830mm x W760mm 19.00kg		
P/AB3	L1830mm x W685mm 18.75kg		
P/AC3	L1830mm x W610mm 17.50kg		
P/BA3	L1520mm x W760mm 17.25kg		
P/BB3	L1520mm x W685mm 16.50kg		
P/BC3	L1520mm x W610mm 15.25kg		
P/CA3	L1220mm x W760mm 13.00kg		
P/CB3	L1220mm x W685mm 12.75kg		
P/CC3	L1220mm x W610mm 11.25kg		
P/DA3	*L915mm x W760mm 12.00kg		
P/DB3	*L915mm x W685mm 9.75kg		
P/DC3	*L915mm x W610mm 9.00kg		
Table Heights (mm) 760   700   635   584   546   508			

\*915mm long tables are not available 760mm high

School dining Community halls Leisure centres Canteens Retail display

MADE IN BRITAIN

### **Premier Stacking Benches**

Premium class stacking bench • Wipe-clean laminate bench seat

- Seamless polyurethane edge
- Stack for storage up to 10 high
- Very strong and robust





### **Economy Folding Tables**



### The low budget choice

- Iconic twin leg design
- Light to handle

#### **Economy Folding Tables**

E/AB4 E/AC4	L1830mm x W685mm L1830mm x W610mm		6ft
E/CB4	L1220mm x W685mm	8.25kg	4ft
E/CC4	L1220mm x W610mm	8.00kg	
E/DB4	L915mm x W685mm	7.25kg	3ft
E/DC4	L915mm x W610mm	6.75kg	
Table Height (mm)			

able Height (mi **700**  Scouts & Guides Activity centres Church & Village halls Canteens



### **Economy Stacking Benches**

The low budget choice

- Stack for storage up to 10 high
- Use inside and out

**Economy Stacking Benches** 

L1830mm x W254mm 6.25kg

L1220mm x W254mm 5.00kg

Bench Height (mm) 432

E/AF4

E/CF4







GP81 Durham Oak



9

### GOPAK

### Games Folding Tables





- Folds flat for storage
- Light yet strong
- Perfect for card & board games







#### **Games Folding Tables**

GT/DE6 L910 x W890mm 9.00kg

Table Height (mm) 700 Bridge clubs Whist clubs Village halls Social clubs Home





### **Folding Tables**



GOPAK

## Universal Folding Tables



- Heavy duty folding table
- Posi-lock folding mechanism
- Bright zinc steel legs
- Extra strong and stable
- GS Approved design



Posi-lock folding mechanism

#### Universal Folding Table

U/AA15 L1830mm x W760mm 18.00kg U/AB15 L1830mm x W685mm 17.25kg U/AC15 L1830mm x W610mm 16.00kg
U/BA15 L1520mm x W760mm 16.00kg U/BB15 L1520mm x W685mm 15.25kg U/BC15 L1520mm x W610mm 16.00kg
U/CA15 L1220mm x W760mm 14.00kg U/CB15 L1220mm x W685mm 13.00kg U/CC15 L1220mm x W610mm 12.75kg
U/DA15 *L915mm x W760mm 11.75kg U/DB15 *L915mm x W685mm 11.25kg U/DC15 *L915mm x W610mm 10.75kg

Table Heights (mm) 760 | 700

\*only available 700mm high

Semi-permanent use Secondary schools Further education Training rooms Office Home



### Vantage Folding Tables

Ultra heavy duty folding table

- Posi-lock folding mechanism
- GS Approved design
- Extra strong and stable
- Polyurethane edge









### Vantage Folding Table 🗸

V/AA20 V/AB20 V/AC20	L1830mm x W760mm 24.25kg L1830mm x W685mm 23.75kg L1830mm x W610mm 21.00kg	6ft
V/BB20	L1520mm x W760mm 20.25kg L1520mm x W685mm 19.75kg L1520mm x W610mm 18.00kg	5ft
V/CB20	L1220mm x W760mm 16.25kg L1220mm x W685mm 15.75kg L1220mm x W610mm 14.75kg	4ft
V/DA20 V/DB20 V/DC20	*L915mm x W760mm 14.25kg *L915mm x W685mm 14.00kg *L915mm x W610mm 13.75kg	3ft
	Table Heights (mm)	



\*only available 700mm high



Posi-lock folding mechanism

### Keystage 1&2 Activity Tables

Lightv











#### Activity Folding Table

AT/CB6	L1220 x W685mm	8.00kg		
Table Heights (mm) 700   635   584   546   <mark>508</mark>				



#### Enviro Static Table

EN/AT37/S L121

L1210 x W682mm

Table Heights (mm) 710 | 640 | 590 | 530 | 460



Early years Primary KS1 & KS2 Sunday schools Home

### Custom designed table tops

- Folding or static tables
- For stimulating learning

MADE IN BRITAIN

16kg

## Key Stage 1&2 Activity Tables

### KS2 curriculum based designs

- Folding or static tables
- For stimulating learning









#### Key Stage 1



Town



Farm



Zoo

GOPAK

#### Key Stage 2



**British History** 



Solar System



World Map



### **Table Storage**



### Storage for Gopak folding tables

- Include 4 swivel brake castors (of which 2 are braked)
- Safety straps supplied



If you need your trolleys to pass through doorways, please check the dimensions prior to ordering.

#### Small Folding Table Trolley

A3001 Small L875 x W745 x H1127mm 27.00kg

Capacity up to seven folding tables

#### Large Folding Table Trolley

A2501 Large L1675 x W745 x H1127mm 53.00kg

Capacity up to fourteen folding tables






School dining halls Church & village halls Canteens Community centres



### Table Storage





### **Enviro Daisy Table**









#### A fun shape for Early Years

- Colourful learning
- Child friendly design
- The first class choice

ABS Edge Colours

> Light Grey







#### Daisy Table

EN/DS37/S 1200mm Dia. 16.45kg

Table Heights (mm) 710 | **640 | 590 | 530 | 460**  Nurseries Playgroups Primary schools Early Years learning



Black

## Enviro Keyhole Table

R

#### Great for classrooms

- Colourful learning
- For all age groups
- Strong and durable











### **Enviro Classroom Tables**









#### Great for classrooms

- Colourful learning
- For all age groups
- Strong and durable





### **Enviro Round Tables**

#### A social shape

- Multiple uses
- Ideal for dining
- Strong and durable









### **Enviro Link Table**





#### Multi configurable tables

- For collaborative spaces
- Learning and creating
- Strong and durable

ABS Edge Colours

> Light Grey Mid Grey

Ruby Red

Dusky Blue

Green

Link Table

Black

EN/DL35/S W1200mm

nm 12.50kg

Table Heights (mm) 760 | 710 | 640 | 590 | 530 | 460 Classrooms Offices Collaborative areas Dining





## **Enviro Shield Table**

Unique shield shape

• Large seating capacity

EN/BD35/SC W1500mm with castor 24.00kg

Table Heights (mm) 760 | 710 | 640 | 590 | 530 | 460

- Optional castor
- For school dining







GOPAK

# GP35 Ailsa

GP42 Orange







GP46 Fuchsia

23

### **Enviro Tables**





l ight



#### Tables for all areas

- Premium quaility
- Light yet strong
- Smart and stylish

#### **ABS Edge** Colours

Light Grey





Dusky Blue







**Enviro Rectangular Tables** 

L1800 xW750mm

L1400 x W750mm

L1200 x W750mm

L1200 x W600mm Table Heights (mm) 760 | 710 | 640 | 590 | 530 | 460

25.00kg

19.50kg 17.50kg

15.30kg

EN/AA35/S

EN/CA35/S EN/DA35/S

EN/DB38/S



760 | 710 | 640 | 590 | 530 | 460



Dining Classroom Office



Black



### **Enviro Benches**

Bench seats for all areas

- Ideal for school dining
- Light yet strong
- Smart and stylish







GOPAK

### **Enviro Project Tables**







#### Premium project table

- Durable compact table top
- Ideal for scientific studies
- Strong and hard wearing





### **Enviro Project Tables**

#### Standard project table

- For creative studies
- Smart and stylish
- Strong and durable





GELF





### **Enviro High Tables & Benches**







FREE



- Light yet strong
- Space saving design

**ABS Edge** Colours Light Grey Mid Grey **High Tables** EN/AH35H/S L1800 x W500mm EN/DH35H/S L1200 x W500mm Ruby Red 19.75kg 16.00kg Table Heights (mm) 1010 Dusky Blue Dining **High Benches** Coffee shop Black EN/AF35H/S L1600 x W330 mm 14.50kg EN/DF35H/S L1000 x W330 mm 9.50kg Bench Heights (mm) 710





## Enviro Triangular Table

Tables for learning

- Ideal for higher education
- Smart and stylish







GP42 Orange

29

#### **Triangular Tables**

Optional brake castor on one leg for easy manoeuvring

EN/DT35/S L1200mm Triangular 12.50kg EN/DT35/SC L1200mm Triangular with castor 12.50kg

> Table Heights (mm) 760 | 710 | 640 | 590 | 530 | 460

> > GOPAK

### **Enviro Coffee Tables**








#### Low level tables

- For smart reception areas
- Light yet strong
- Four sizes



MADE IN BRITAIN


## **Enviro Changing Room Benches**



GOPAK

### **Enviro Workspace Tables**





- Design led edges
- Simplistic lines
- Strong and durable
- Multi configurable







#### ABS Edge Colours



#### Workspace Tables



EN/DA4/S Corner Unit L1200 x W1200mm 17.00kg EN/FA48/S Square L750 x W750mm 12.50kg EN/GG48/S Square L600 x W600mm 10.00kg

re L600 x W600mm 10 Table Heights (mm)

710

Office Home Collaborative space





## Enviro WorkSpace Tables

Tables for flexible office space

- Design led edges
- Simplistic lines
- Strong and durableMulti configurable











#### Workspace Tables

EN/CA48/S EN/DB48/S EN/ED48/S EN/DH48/S	Rectangle Round	L1400 x W750mm L1200 x W600mm 900mm Dia. 1200mm Dia.	19.50kg 15.30kg 12.50kg 20.80kg		
Table Heights (mm) 710					

GOPAK

#### Laminate Selection





Lightweil









- Maintenance free furniture
- 100% UV & Weather resistant
- Synthetic wood slats
- Anodised aluminium frame
- 100% recyclable



Security Fixing EN/ACC01 (Includes 2 brackets & 2 fixings)

#### Enviro Outdoor Tables

EN/AE36/OD EN/DE36/OD EN/DD36/OD L1250 x W1250mm EN/EE36/OD EN/GG36/OD L790 x W790mm

L1800 x W900mm L1250 x W900mm L900 x W900mm

27.00kg 18.75kg 27.00kg 13.00kg 10.00kg

Table Heights (mm) 760 | 710 | 640 | 590 | 530 | 460

#### Enviro Benches

EN/AF36/OD L1600 x W330mm 13.00kg 8.50kg EN/DF36/OD L1050 x W330mm EN/GF36/OD L700 x W330mm 6.00kg EN/HF36/OD L590 x W330mm 4.00kg

> Bench Heights (mm) 460 | 430 | 380 | 350 | 310 | 260

### Enviro Outdoor Coffee Table

EN/HH36/OD L560 x W560mm 7.50kg Table Height (mm)

Outdoor learning

Outdoor dining Outdoor entertaining





SELF

Fit ASSEN &

3

FREE

DELIVERY

SEN SO.

PARTS

1&3

5 MARANTEE

Use under school canopies

- Place in pub & hotel gardens
- Smaller sets for balconies





Light

#### Enviro Outdoor Set 1

EN/SET1/OD L1250 x W900 x H710mm Table L1050 x W330 x H430mm Benches x 2

#### Enviro Outdoor Set 2

EN/SET2/OD L1800 x W900 x H710mm Table L1600 x W330 x H430mm Benches x 2

### Enviro Outdoor Set 3

EN/SET3/OD L1250 x W1250 x H710mm Table L1050 x W330 x H430mm Benches x 4

### Enviro Outdoor Set 4

EN/SET4/OD L900 x W900 x H710mm Table L700 x W330 x H430mm Benches x 4

#### Enviro Outdoor Set 5

EN/SET5/OD L790 x W790 x H710mm Table L590 x W330 x H430mm Benches x 4

#### Enviro Outdoor Set 6

EN/SET6/OD	L900 x W900 x H710mm Table	
	L900 x W330 x H430mm Benches x	4

### Enviro Outdoor Set 7

EN/SET7/OD L790 x W790 x H710mm Table L790 x W330 x H430mm Benches x 4







# GOPAK



#### Hard wearing outdoor furniture

- Strong compact laminate top
- Anodised aluminium frame
- Can be used inside and out



Enviro Compact Slatted Top

These tables & benches can be supplied with either a slatted or solid top











### **Enviro Compact Slatted Tables**

 EN/BC46/OD
 L1500 x W600mm
 20.00kg

 EN/CC46/OD
 L1000 x W600mm
 14.00kg

 EN/EE46/OD
 L600 x W600mm
 10.50kg

 EN/DD46/OD
 L1200mm Round
 18.00kg

 EN/CD46/OD
 L1000mm Round
 16.00kg

Table Heights (mm) 760 | 710 | 640 | 590 | 530 | 460

### **Enviro Compact Slatted Benches**

EN/BF46/OD Bench 1500 x 300mm 11.60kg EN/CF46/OD Bench 1000 x 300mm 8.50kg

Bench Heights (mm) 460 | 430 | 380 | 350 | 310 | 260

Enviro Outdoor Set 8 - slatted in Chestnut only

EN/SET8/OD 1x Table L1500 x W600 x H710mm 2x Bench L1500mm x W330 x H430mm

> MADE IN BRITAIN



Outdoor learning Outdoor dining Outdoor entertaining



### Hard wearing outdoor furniture

- Strong compact laminate top
- Anodised aluminium frame
- Can be used inside and out



Enviro Compact Solid Top









Security Fixing EN/ACC01 (Includes 2 brackets & 2 fixings)

GOPAK

#### **Enviro Compact Solid Tables**

 EN/BC47/OD
 L1500 x W600mm
 20.50kg

 EN/CC47/OD
 L1000 x W600mm
 14.50kg

 EN/EE47/OD
 L600 x W600mm
 11.00kg

 EN/DD47/OD
 L1200mm Round
 18.50kg

 EN/CD47/OD
 L1000mm Round
 16.50kg

Table Heights (mm) 760 | 710 | 640 | 590 | 530 | 460

#### Enviro Compact Solid Benches

EN/BF47/OD Bench 1500 x 300mm 12.10kg EN/CF47/OD Bench 1000 x 300mm 9.00kg

Bench Heights (mm) 460 | 430 | 380 | 350 | 310 | 260 These tables & benches can be supplied with either a slatted or solid top



Laminate Selection











## **Ultralight Staging Systems**





### Lightweight aluminium staging

- Clever concertina design
- GS approved construction
- Lightweight yet very strong
- Multi configurable

# How it works





Take your folded stage riser

Fully extend the stage riser





Once the corner sections have been connected, tighten with the Allen Key through the small hole in each corner of the stage deck. Alternatively twist the stage riser tube.

Place the stage deck on top of the riser, connecting each corner of the stage deck with the upright corner bolts on the riser.





Having joined your stage decks and risers together, connect each platform by tightening the locking cleats located on the leading edge of each stage deck.



If required, you can join two risers together for additional height and they will still fold down without having to be disconnected.



The stage decks and risers take up minimal space, making this system the ideal choice for those with limited storage.

# Ultralight Staging Components

Ultralight staging system • GS approved construction • Tested to 1000kg m <sup>2</sup> even load • Point load testing to 180kg	FREE UK Mainland LIVERY
• Simple to operate Choose from five riser heights 150mm 200mm 300mm 400mm	600mm
Ultralight 2m x 1m UL/AB60 L2m x W1m Deck Carpeted 12.75kg UL/AB60V L2m x W1m Deck Vinyl 14.00kg UL/AB60H L2m x W1m Deck Heavy Duty Vinyl 17.00kg UL/AB65 L2m x W1m Riser 4-7kg	_
Ultralight 2m x 0.52m UL/AC60 L2m x W0.52m Deck Carpeted 9.50kg UL/AC60V L2m x W0.52m Deck Vinyl 10.50kg UL/AC60H L2m x W0.52m Deck Heavy Duty Vinyl 14.00kg UL/AC65 L2m x W0.52m Riser 2-3kg	Carpet Colours
Ultralight1m QuadrantUL/BH60L1m Quadrant Deck Carpeted4.00kgUL/BH60VL1m Quadrant Deck Vinyl5.00kgUL/BH60HL1m Quadrant Deck Heavy Duty Vinyl7.00kgUL/BH651m Quadrant Riser1-2kg	Anthracite Grey Chianti
Ultralight 1m x 1mUL/BB60L1m x W1m Deck Carpeted7.50kgUL/BB60VL1m x W1m Deck Vinyl8.50kgUL/BB60HL1m x W1m Deck Heavy Duty Vinyl12.00kgUL/BB65L1m x W1m Riser2-4kg	Red Sapphire Blue
Ultralight 1m x 0.52m UL/BC60 L1m x W0.52m Deck Carpeted 4.50kg UL/BC60V L1m x W0.52m Deck Vinyl 5.00kg UL/BC60H L1m x W0.52m Deck Heavy Duty Vinyl 7.50kg UL/BC65 L1m x W0.52m Riser 1.5-3kg	Moss Green Vinyl Options
Ultralight 1m TriangleUL/BD60L1m Triangle Deck Carpeted4.00kgUL/BD60VL1m Triangle Deck Vinyl5.00kgUL/BD60HL1m Triangle Deck Heavy Duty Vinyl7.00kgUL/BD651m Triangle Riser1-2kg	Standard Black
Ultralight 0.52m x 0.52m           UL/CC60         L0.52m x W0.52m Deck Carpeted         2.50kg           UL/CC60V         L0.52m x W0.52m Deck Vinyl         3.50kg           UL/CC60H         L0.52m x W0.52m Deck Heavy Duty Vinyl5.00kg         1-2kg	Heavy Duty Black

GOPAK

# **Ultralight Staging Packages**









- Ultralight staging system
- Clever concertina design
- GS approved construction
- Lightweight yet very strong
- Multi configurable





















Moss Green





Standard Black





40

Ultralight Package B - 4 x 3m (12m<sup>2</sup>) - 430mm high UL/PACKB 6 x Stage Deck 2m x 1m 6 x Stage Riser 2m x 1m - 400mm high 1 x Stage Deck 1m x 0.52m 1 x Stage Riser 1m x 0.52m - 200mm high

Ultralight Package A - 4 x 2m (8m<sup>2</sup>) - 430mm high

4 x Stage Riser 2m x 1m - 400mm high

1 x Stage Riser 1m x 0.52m - 200mm high 2 x Riser Clamps

Valance to cover 3 sides of package A including step

1 x Stage Deck 1m x 0.52m

2 x Riser Clamps


UL/PACKA 4 x Stage Deck 2m x 1m

UL/A070

UL/A071 Valance to cover 3 sides of package B including

All packages are supplied with a 5mm Allen Key required for assembly





430mm

# **Ultralight Staging Packages**

Ultralight staging system

- GS approved construction
- Tested to 1000kg m<sup>2</sup> even load
- Point load testing to 180kg
- Simple to operate










UL/PACKC 6 x Stage Deck 2m x 1m 6 x Stage Riser 2m x 1m - 600mm high 3 x Stage Deck 1m x 1m 3 x Stage Riser 1m x 1m - 600mm high 2 x Stage Deck 1m x 0.52m 1 x Stage Riser 1m x 0.52m - 400mm high 1 x Stage Riser 1m x 0.52m - 200mm high 4 x Riser Clamps







GOPAK

### Ultralight Trolley for Packages

UL/A020 Large table trolley Holds up to 10 x 2m x 1m Decks + Risers



Valance Colours

Red



GOPAK OPAK

# **Ultralight Choir Staging**









- Ultralight staging system
- Clever concertina design
- GS approved construction
- Lightweight yet very strong
- Multi configurable





Anthracite Grey



Sapphire Blue

Choir package 1

UL/CHOIR1 12 x Stage Decks & Risers 1m x 1m 9 x Choir infill Decks & Risers 1m 28 x Riser Clamps UL/A052



### Choir package 2

UL/CHOIR2

Moss Green Vinyl

Options



Standard Black



Duty



### Choir package 3

UL/CHOIR3 8 x Stage Decks & Risers 1m x 1m 4 x Stage Decks & Risers 1m x 0.52m 6 x Choir infill Decks & Risers 1m 3 x Choir infill Decks & Risers 0.52m 28 x Riser Clamps UL/A052

28 x Riser Clamps UL/A052



All packages are supplied with a 5mm Allen Key required for assembly



# **Ultralight Choir Staging**

Ultralight staging system

- GS approved construction
- Tested to 1000kg m<sup>2</sup> even load
- Point load testing to 180kg
- Simple to operate













#### Carpet Colours





















43

A 5mm Allen Key is supplied for assembly

# 1m Large Choir Infill Riser - 600mm high 1m Medium Choir Infill Riser - 400mm high 1m Small Choir Infill Riser - 200mm high

#### Safety accessories for 1m wide tier

Components for 1m wide tier

UL/BE60

UL/BE65

UL/BF60

UL/BF65

UL/BG60

UL/BG65

UL/A036	1m Choir Infill Guardrail
UL/A044	1m Choir Infill Chair Stop
UL/A034	Straight Bracket x 2

### Components for 0.52m wide tier

UL/CE60 0.52m Large Choir Infill Deck UL/CE65 0.52m Large Choir Infill Riser - 600mm high UL/CF60 0.52m Medium Choir Infill Deck 0.52m Medium Choir Infill Riser - 400mm high UL/CF65

1m Large Choir Infill Deck

1m Small Choir Infill Deck

1m Medium Choir Infill Deck

- UL/CG60 0.52m Small Choir Infill Deck
- UL/CG65 0.52m Small Choir Infill Riser 200mm high

#### Safety accessories for 0.5m wide tier

- UL/A037 0.52m Choir Infill Guardrail UL/A043 0.52m Choir Infill Chair Stop
- UI /A034 Straight Bracket x 2









# **Ultralight Trolleys**









### Ultralight Staging System

- Simple storage solution
- For easy transportation
- Includes safety straps



### Ultralight Trolleys

UL/A020 Large Ultralight Trolley 25.00kg UL/A021 Small Ultralight Trolley 50.00kg	
--	--



Small Ultralight Trolley Dimensions: L875mm x W745mm Holds 10 x 1m x 1m stage decks and risers

### **Ultralight Step Units**

UL/STEP/ 1	One step unit 430mm high stage (comprises 1 x stage deck 1m x 0.25m + 1 x 200mm stage riser + 2 riser clamps)
UL/STEP/ 2	Two step unit 630mm high stage (comprises 2 x stage deck 1m x 0.25m +1 x 200mm stage riser + 1 x 400mm stage riser + 4 riser clamps)







# **Ultralight Accessories**

### Ultralight Staging System

- For safety and security
- GS approved construction



GOPAK







DDI Compliant Access Ramps available on request



#### **Ultralight Riser Clamps**

Secure your steps or tiered stage with these robust clamps.

UL/A052 Riser clamps

#### **Ultralight Riser Levellers**

For levelling your stage on an uneven floor.

UL/A051 Riser levellers (pack of 20)

### Ultralight Anti-Slip Plugs

Prevent movement on a slippery floor.

UL/A050 Anti-slip riser plugs (pack of 50)

### Ultralight 5mm Allen Key

Supplied free of charge with all staging orders.

M0965009 5mm Allen Key



**Riser** levellers





Fasten two decks together with the twist of an Allen Key

# **Ultralight Guardrails**



For the safety and security of performers. Secure with brackets.

UL/A030GS Guardrail 1m width 7.75kg UL/A031GS Guardrail 2m width 11.00kg

#### **Ultralight Guardrail Brackets**

To securely attached guardrail to the edge of the stage.

UL/A034	Straight bracket (2 required per rail)
UL/A035	Corner bracket

### Ultralight Step Guardrails For use with 0.52m wide steps

UL/A032	2 step guardrail 7.50kg
UL/A033	3 step guardrail 10.00kg

### **Ultralight Small Step Guardrails**

For use with 0.25m wide steps


UL/A032GS	Small 2 step guardrai	5.50kg
UL/A033GS	Small 3 step guardrai	8.00kg

### Ultralight staging system

- For safety and security
- GS approved construction








### **Ultralight Accessories**

FREE

### Ultralight staging system

- For safety and security
- GS approved construction







Chair stop plates

#### **Ultralight Fire Retardant Valance**

Choose your required length and drop

UL/A002 183mm drop UL/A005 230mm drop UL/A004 330mm drop UL/A003 430mm drop UL/A001 630mm drop



GOPAK





#### **Ultralight Chair Stop Plates**

Prevent chairs from sliding off the stage. Can be used on their own or attached to guardrail.

UL/A040	Chair stop plate per 0.5m length	0.75kg
UL/A041	Chair stop plate per 1m length	1.50kg
UL/A042	Chair stop plate per 2m length	3.00kg



47

### Laminate Swatch (not Economy)



# ABS Edge Swatch



### **Economy Laminate Swatch**



A high pressure laminate used in the manufacture of Economy folding tables and stacking benches.



Compact laminate, unlike high pressure laminate is solid, providing an extremely strong and durable water resistant surface.



## **Recommended Chair & Table Guide**

#### Recommended chair and table guide Coloured dimensions are EN1729 part 1 size marks









### **Icons Explained**



#### Lifetime Guarantee

On all Gopak folding tables subject to normal wear and tear



Tested by TUV to GS standard



#### Lightweight

500kg

Most of our products are made from aluminium for easy handling

# ARANTEE YEAR

5 Year Guarantee

On all items subject to normal wear and tear

Simple Self Assembly

instructions will be

Full assembly

supplied

provided



SEN 7>

PART

1

0

0

GS EN1729-1

GS 5376

Tested by TUV to GS standard



BS EN 1729 Parts 1 & 2 Part 1 for Dimension Fit

Part 2 for Strength and Durability







#### exception of Highlands and Islands

#### BS EN 581 Parts 1 & 3

Part 1 for Dimension Fit

Part 3 Outdoor furniture suitable for domestic and contract use



**Fit** legs

ASSEN &

50

SIMPLE

Self Assembly Fit Legs Simply connect the table / bench legs using



01





500kg

1000kg LOAD BEARING

LOAD BEARING Tested up to 1000kg m<sup>2</sup> even load distribution

Tested to hold up to

500g even load

Free UK Delivery To UK Mainland with the



## Folding Table Dimensions




Internal length at chair height:

Table 1830mm long = 1610mm Table 1520mm long = 1300mm Table 1220mm long = 1000mm Table 915mm long = 695mm

Internal width at chair height: Table 760mm wide = 510mm Table 685mm wide = 435mm Table 610mm wide = 390mm


# **Stacking Bench Dimensions**

Stack dimensions for 1830mm long bench (max. 10 benches per stack)



(only stack 8 high when using bench skates)

## **Enviro Table Dimensions**



#### Internal length:

Table 1800mm long = 1660mm Table 1400mm long = 1260mm Table 1200mm long = 1060mm Shield table = 1320mm Table 1200mm diameter = 720mm Table 900mm diameter = 530mm 750mm long = 610mm

#### Internal width:

Table 750mm wide = 610mm Table 600mm wide = 460mm



# FAQ's

#### What are the differences between the tables ranges?

There are two types of folding tables, a lightweight version and a heavier duty product.

### Why buy Gopak

- Multi-functional furniture
- Lightweight yet durable
- Quality hand finished products

Lightweight folding tables from the Contour25, Contour25 Plus, Premier and Economy ranges have an aluminium frame and a high pressure laminate top. Contour25 Plus folding tables feature a steel leg for improved stability and the Premier Range features the same steel leg along with a seamless grey polyurethane edge. The heavier duty Universal, Vantage and Round folding tables have a high pressure laminate top and an aluminium frame with zinc plated elliptical steel legs. These provide exceptional stability. The Vantage Table has a seamless grey polyurethane edge.

The Enviro tables are supplied flat-pack for the user to assemble. The frame and legs are lightweight anodised aluminium and the top is constructed with a honeycomb core. The combination of these features gives a product far lighter than standard fixed leg tables manufactured with steel frames and MDF tops. The legs are fitted to the table frame using the dual Allen Key fixings on each leg which should be tightened fully following the instructions supplied.

#### How much weight will the products stand?

The tables will withstand a significant amount of weight. For example the lightweight Premier folding table (1830mm x 760mm) withstood a static vertical load of 460kg satisfying BS 5873(1985):Part 3 to test level normal. The Universal, Vantage and Round folding tables have passed BS5873 Part 3 test level normal and are GS Approved products.

#### How much do the tables weigh?

Folding tables weigh as little as 6.50kg for the smallest table up to 24.25kg for the largest heavy duty Vantage folding table. Enviro tables weigh between 10kg up to 25kg.

#### How do the products fold?

Lightweight tables – lift the leg cross bar out of the retainer mouldings, initially using both hands and lower the leg down.

Heavy Duty tables – squeeze the bolt mouldings in the Posi-lock together, this will release the bolts from the table chassis and allow the legs to be lowered into position.

This routine can be completed by one or two people depending on the stature of the operator involved.

#### What are the table tops made from?

High Pressure Laminate bonded to a Hardboard substrate which should be treated in a similar manner to a kitchen work surface.

#### How should the table tops be cleaned?

Using a non-abrasive household cleaner

#### How long will the tables last?

All Gopak folding tables come with a Life Time guarantee and all other items manufactured by Gopak are guaranteed for a five year period. You will find that if you treat our products with respect they will last considerably longer. In the UK there are many Gopak products still in use after twenty years and over.



# British Made Quality



